Water Pollution Sensor Priorities: Arsenic


March 9, 2016







Webinar Logistics



If you experience technical difficulties, please contact Grant Strauss at: Grant.Strauss@erg.com

Hosts



Denice Shaw, PhD
Office of Research
and Development,
U.S. EPA



Joel Creswell, PhD
Office of Research
and Development,
U.S. EPA



Katherine Guerra, PhD U.S. Bureau of Reclamation





Purpose

- Advancing water sensor technologies & data analytics a priority for EPA & the nation
- Part of effort to accelerate development & use of sensors for:
 - Arsenic
 - Harmful algal bloom (HAB) toxins
 - Total nitrogen and phosphorus
 - E. coli & Enterococcus
- NWQMC meeting in May 2016 to share requirements & explore steps to implementation





Collaborators

- Association of Clean Water Administrators
- Association of State Drinking Water Administrators
- National Water Quality Monitoring Council
- U.S. Bureau of Reclamation
- U.S. Department of Agriculture
- U.S. Environmental Protection Agency
- U.S. Geological Survey
- U.S. Park Service
- Water Environment Federation




Current Approach – Arsenic Monitoring

Laboratory Methods

- Colorimetry
- Hydride Generation Atomic Absorption Spectrometry
- Electrothermal Atomic Absorption Spectrometry
- Inductively Coupled Plasma-Atomic Emission Spectrometry
- Inductively Coupled Plasma-Mass Spectrometry

Field and on-line methods

- On-line voltammetry instruments
- Field test strips







Drawbacks to Current Approach

- Lab-based methods:
 - Time lag from sample collection to data
 - Difficult to make real-time decisions (e.g. process control)
- High per-sample collection & analysis cost
- Limited data (due to cost)
- Lab instruments require trained analysts





Potential Benefits & Applications of Advanced Arsenic Sensors

Benefits

- "Real-time" data
- Easy to operate
- Continuous monitoring
- Field-deployable
- Portable
- Affordable

Applications

- Drinking water:
 - Source monitoring
 - Point of use monitoring
 - Treatment optimization
- Wastewater treatment
- Contaminated site monitoring






Feedback on requirements

- Reasons for monitoring
- Sample results response time
- Desired measurement frequency
- Sample environment
- Concentration range desired (lower and upper LOD)
- Price points






Reasons for Monitoring








Environment








Limit of Detection - Lower








Limit of Detection - Upper








Sampling Results Response Time








Desired Measurement Frequency








Deployment Duration







Data Transmission Method








Data Logging Integration

Integrated into existing data logger

Stand-alone units with internal data logging


Integrated into new commercial data logger








Data and Instrument Access Preferences










Price Point







Next Steps

- Draft arsenic sensor technology needs report
- Presentation & discussion at National Water Quality
 Monitoring Conference, May 2-6 2016, Tampa, FL
- Arsenic Sensor Challenge







Water Prize Competition Center

Share your expertise and ideas!

You can help solve some of the most critical water and water-related resource problems facing our Nation!







Learn more at www.usbr.gov/research/challenges





Advanced Water Treatment Technologies

What's our Objective?

Reclamation believes advanced water treatment technologies can do more to expand our Nation's useable water supplies.

What Do We Do About It?

Reclamation sponsors and conducts research in this area to help advanced the technologies so that they are more broadly used for this purpose.





Reclamation Uses for Improved Arsenic Sensors



Undeveloped Source Characterization

- Identify best source for new water supply
- Understand source variability and treatment needs



Advanced Water Treatment

- Real-time adjustment of treatment process operation
- Process optimization to reduce treatment costs



New Water Supply

Confirm treated water meets requirements for public health



Treatment Residuals

Ensure treatment residuals meet discharge requirements to protect the environment





Discussion

- What other sensor features should be included?
- Besides an affordable sensor, what is your biggest challenge in arsenic monitoring?





Thank you for your input!

- Please attend the other webinars in this series:
 - HAB* toxins March 16th, 2-3 PM (ET)
 - Total N & Total P March 23rd, 2-3 PM (ET)
 - E. coli & Enterococcus March 30, 2-3 PM (ET)
- New website for sensor R&D funding:
 - https://www.sbir.gov/Sensor-technology-for-the-21st-century
- Questions/additional feedback?
 - innovation@epa.gov



